



18 months warranty

Belpump-lift 600 Transfer Pump

To fill hoppers easily!

The Belpump-lift 600 is a stainless steel mini transfer pump for gentle transfer of products from a mixing bowl into a depositor hopper.

- 1. Design features:
- pneumatic up/down power-lift system to put the transfer tube easily in and out the bowl
- the pump can be equipped with an optional optical sensor, which turns the pump on/off as needed for fully automatic operation
- it can also be operated manually with on/off switch









everyone can work with it

100 blo control hygiene control



CLICK HERE TO WATCH THE MOVIE

time saving

10-36 Umin

SPECIFICATIONS



Belpump-lift 600

quick cleaning

ATTENTION! AIR COMPRESSOR IS REQUIRED!

POWER

Air: 98 I/min ; 7 Bar/102 PSI

TRANSFER SPEED

10-36 I/min (depending on product viscosity)



transfer speed: 10-36 l/min



particle size: max Ø 2,5 cm



stainless steel

fast, accurate, clean & easy transferring

turn-over system for easy removal of mixing bowls



piston shafts

flexible outlet hose 2"/50,8 mm; for liquid, semi-liquid products and pourable soft paste



pneumatically adjustable in height frame



tool-free assembly



rubber valve d 76,2 mm for liquid and aerated products; particle size max d 10 mm



synthetic butterfly valve d 76,2 mm; for semi-liquid, pourable soft paste, heavy paste, particle size max d 25 mm increased production efficiency

OPTIONS

ATTACHMENTS

easy to use & fast to clean



follower plate for a mixing-bowl



product level sensor





















ONLY pourable products! transferring of jam, jelly, fruit filling, cream, yoghurt, soup, sauce, etc.

PLEASE USE BELUMP-LIFT 1050 FOR TRANSFERRING OF SPONGE








DIMENSIONS


all stainless steel construction

Belpump-lift 600 Transfer Pump

top quality equipment









Beldos N.V. 2950 Kapellen

Industrielaan 10 +32 3 646 40 48 info@beldos.be Antwerp province www.beldos.com







